



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

XVIII. *Extract of a Meteorological Journal for the Year*
1776, kept at Bristol, by Samuel Farr, M. D.

Read February 27, 1777.

Months.	Barometer.			
	Highest.	Lowest.	Mean.	Vicissitude.
January	29,93	29,04	29,53	— 47- $\frac{1}{2}$ +
February	29,74	28,66	29,21	102-2 +
March	30,28	28,80	29,53	110-2 +
April	30,28	29,26	29,85	68-2 —
May	30,30	29,10	29,88	40- $\frac{1}{2}$ —
June	30,20	29,38	29,88	39-1 $\frac{1}{2}$ —
July	30,16	29,30	29,76	40-1 $\frac{1}{2}$ —
August	30,08	29,30	29,68	30- $\frac{1}{2}$ —
September	30,20	20,17	29,72	98-4 +
October	30,18	29,60	29,87	54-1 +
November	30,15	28,90	29,74	65- $\frac{1}{2}$ +
December	30,28	29,26	29,76	32- $\frac{1}{2}$ + rising. — falling.

An abridged Table of the WINDS, &c. for BRISTOL, for
the Year 1775.

	N	E	W	S	NW	SE	NE	SW	Rain.	Frosty Days.	Fair Days.	Thunder, &c,
Jan.	0	1	0	0	$\frac{1}{2}$	3	$23\frac{1}{2}$	3	3,993	25	6	5. S.W.
Feb.	0	0	0	$1\frac{1}{2}$	1	$3\frac{1}{2}$	$2\frac{1}{2}$	$20\frac{1}{2}$	5,538	1	$5\frac{1}{2}$	
Mar.	0	$1\frac{1}{2}$	0	$1\frac{1}{2}$	$1\frac{1}{2}$	3	$7\frac{1}{2}$	16	1,643	$2\frac{1}{2}$	$13\frac{1}{2}$	
Apr.	$1\frac{1}{2}$	1	$\frac{1}{2}$	2	4	2	$10\frac{1}{2}$	$8\frac{1}{2}$	0,438	1	18	
May	$2\frac{1}{2}$	2	$\frac{1}{2}$	$2\frac{1}{2}$	4	1	$11\frac{1}{2}$	7	1,149	0	$13\frac{1}{2}$	13. S.
June	$\frac{1}{2}$	$\frac{1}{2}$	0	3	2	5	$5\frac{1}{2}$	$13\frac{1}{2}$	2,554	0	$13\frac{1}{2}$	
July	0	0	$\frac{1}{2}$	3	3	5	1	$18\frac{1}{2}$	2,332	0	13	5. S.E. 19. S.E.
Aug.	$\frac{1}{2}$	$\frac{1}{2}$	$\frac{1}{2}$	1	5	$6\frac{1}{2}$	3	14	4,747	1	$11\frac{1}{2}$	{ 6. N.W. 16. S.W. 30. S.W.
Sept.	0	0	0	$\frac{1}{2}$	4	3	10	$12\frac{1}{2}$	3,270	5	$15\frac{1}{2}$	4. N.W. 8. N.W.
Oct.	0	$1\frac{1}{2}$	0	$1\frac{1}{2}$	$3\frac{1}{2}$	4	13	$7\frac{1}{2}$	1,686	4	6	
Nov.	1	0	$\frac{1}{2}$	0	2	13	$1\frac{1}{2}$	12	2,283	5	$10\frac{1}{2}$	30. S.E.
Dec.	$3\frac{1}{2}$	$\frac{1}{2}$	$\frac{1}{2}$	$\frac{1}{2}$	$3\frac{1}{2}$	$10\frac{1}{2}$	2	10	1,422	9	11	1. S.E.
	$9\frac{1}{2}$	$8\frac{1}{2}$	3	17	34	$59\frac{1}{2}$	$91\frac{1}{2}$	143	31,055	$53\frac{1}{2}$	$137\frac{1}{2}$	

WEATHER FOR THE YEAR 1776.

January. It rained a little at first; but soon changed to snow, which was succeeded by a hard frost that lasted till the next month.

February. After the thaw it became very wet and tempestuous.

March. Often frosty and fair, with now and then a considerable storm, as on the 8th and 9th.

April. Stormy, although but little rain fell for about half this month; after the 20th it was quite fair.

May. After this it was stormy, with some rain on the 4th, 5th, 6th, 8th, 11th, 19th, and 20th, but not much; the rest of this month was fair.

June. Very wet for 7 or 8 days, and on the 10th, 11th, and 12th, and also from the 14th to 17th; it was then fair to the 23d; rained then and on the 24th and 27th.

July. Very wet and cloudy, with thunder, &c. on the 5th and 19th; very few days fair till the 22d; after which it was in general fair this month.

August. Very fine for a few days; but afterwards it became wet and stormy till the 20th; after which it was in general fair.

September. Stormy for some days; fair on the 8th and 9th; frosty on the 10th, and then fair to the 15th; wet to the 18th; and then fair to the end.

October. Dry though cloudy, with a little rain for 7 or 8 days; after which it rained part of every day for as many more, and then became variable with some frosty nights.

November. Dry with some frost and fog, but with little rain on the 9th and 11th, and for a fortnight after;

it next became variable, but generally fair; it rained very hard on the 23d and on the 28th.

December. Wet for a few days and then cloudy, but without rain for the first week; it was then dry for a few days; it froze on the 16th, and snow fell on the 18th; the 19th was fair; it rained afterwards to the 23d, and snowed on the 24th; after which a frost fat in, and continued till the end.

